



## T-SLOT DOUBLE V-GROOVE GATE

## Installation Kit - Instructions


SKU	COLOR
61123562	BEIGE
61123563	BLACK
61123564	FLORIDA BRONZE
61123565	GREEN
61123566	GRAY
61123567	LIGHT BRONZE
61118978	MATTE BLACK
61123568	MILL
61118979	MATTE BRONZE
61123569	WHITE







© 2018, Barrette Outdoor Living



ITEM#	PART #				DESCRIPTION	QTY
1	34110632				T-SLOT DOUBLE V-GROOVE GATE-INSTRUCTIONS	1
2	61123553				HARDWARE KIT - T-SLOT SINGLE V-GROOVE GATE	2
3	34110217				HARDWARE KIT - V-GROOVE WHEEL	2
4	61112841			-41	HARDWARE KIT - T-SLOT RECEIVER	1
	61111205	BG	61111210	LB	T-SLOT SIDE GUIDE BRACKET	
2	61111206	BK	61119099	MB		
5	61111207	BZ	61111211	MF		2
	61111208	GR	61119100	MZ		
	61111209	GY	61111212	WH		
	61111046	BG	61111170	LB		
	61111047	BK	61119091	MB		
6	61111048	BZ	61111171	MF	T-SLOT RECEIVER DBL	1
	61111049	GR	61119092	MZ	]	
	61111169	GY	61111172	WH		
	61111173	BG	61111178	LB	T-SLOT RECEIVER GATE	
	61111174	BK	61119093	МВ		
7	61111175	BZ	61111179	MF		1
	61111176	GR	61119094	MZ		
	61111177	GY	61111180	WH		
8	34110287				1.43" DIA. DERLIN GUIDE WHEEL	2
9	34110341				GREASE 3 OZ.	1
10	34110253				1/2"-13X1 1/2" SQ HD BOLT ZINC GRADE 5	4
11	34110251				1/2" SPLIT LOCK WASHER ZINC	4
12	34110252				1/2"-13 HEX NUT ZINC	5
13	34110257				5/8" SHOULDER BOLT 1" LONG STEEL	1
14	34110215				NYLON WASHER .08X1.25X.75 ID	1
15	34110256				3/8"-16X3" CARRIAGE BOLT ZINC GRADE A307	2
16	34110107				3/8"-16 HEX NUT ZINC	2
17	34110281				3/8" WASHER ZINC	2
18	73022415				SCREW #14X1-1/2 HX HD SDS 410 SS	5

#### NOTE:

- 1.) ITEM #10 TO #14 IS PART OF 61123553 HARDWARE KIT ( ITEM 2)
- 2.) ITEM #15 TO #18 IS PART OF 61112841 HARDWARE KIT ( ITEM 4)
- 3.) FOR MATTE BLACK KITS USE BLACK SCREWS
- 4.) FOR MATTE BRONZE KITS USE LIGHT BRONZE SCREWS




### **INSTALLATION PROCEDURE:**

- 1.SET 4" POSTS IN THE GROUND SEE POST LOCATION BELOW.
- 2.INSTALL V-GROOVE WHEELS (ITEM #3) ON THE GATE SEE SHEET 3
- 3.INSTALL TOP BRACKET (ITEM #5) AND GUIDE WHEEL (ITEM #8) SEE SHEET 4
- 4.PLACE GATE IN THE POSITION SLIDE UPPER ROLLER GUIDE ON GUIDE WHEEL (ITEM #8) SEE SHEET 5
- 5.INSTALL RECEIVER DBL (ITEM #6) AND GATE RECEIVER (ITEM #7) SEE SHEET 6


### NOTE:

- APPLY GREASE (ITEM #9) ON THE SHOULDER BOLTS (ITEM #13), INSIDE GUIDE WHEELS (ITEM # 8) AND TOP OF NYLON WASHER (ITEM #14). MAINTAIN GREASE EVERY 4 TO 6 MONTHS.




# POST LOCATION DETAIL SCALE 1:12







DETAIL B - V-GROOVE WHEEL SCALE 1:4
















ITEM#	PART#	DESCRIPTION	QTY
10	34110253	1/2"-13x1 1/2" SQ HD BOLT ZINC GRADE 5	4
11	34110251	1/2" SPLIT LOCK WASHER ZINC	4
12	34110252	1/2"-13 HEX NUT ZINC	5
13	34110257	5/8" SHOULDER BOLT 1" LONG STEEL	1
14	34110215	NYLON WASHER .08x1.25x.75 ID	1













WEIGHT:

ITEM#	PART#	DESCRIPTION	QTY
15	34110256	3/8"-16x3" CARRIAGE BOLT ZINC GRADE A307	2
16	34110107	3/8"-16 HEX NUT ZINC	2
17	34110281	3/8" WASHER ZINC	2
18	73022415	SCREW #14X1-1/2 HX HD SDS 410 SS	5

