


U-BOLT SINGLE CHAINLINK CANTILEVER

SINGLE TRACK LWR INT GUIDE

Installation Kit - Instructions 6"


SKU	COLOR
61123199	BEIGE
61123200	BLACK
61123201	FLORIDA BRONZE
61123202	GREEN
61123203	GRAY
61123204	LIGHT BRONZE
61119071	MATTE BLACK
61123205	MILL
61119072	MATTE BRONZE
61123206	WHITE



© 2018, Barrette Outdoor Living



ITEM#	PART#				DESCRIPTION	QTY		
1	34110596				U-BOLT SINGLE CHAINLINK CANTILEVER SINGLE TRACK LOWER INTERIOR GUIDE 6" -INSTRUCTIONS	1		
2	34110400				U-BOLT SINGLE CANTILEVER SINGLE SIDE TRACK LOWER INTERIOR GUIDE 6" -HARDWARE KIT	1		
3	61123135			HARDWARE KIT CANTILEVER GATE STOP	1			
	61123010	BG	61123015	LB				
	61123011	BK	61119105	MB				
4	61123012	BZ	61111354	MF	U-BOLT SIDE TROLLEY BRACKET 6"			
	61123013	GR	61119106	MZ				
	61123014	GY	61123016	WH				
	61123024	BG	61123029	LB				
	61123025	BK	61119109	MB				
5	61123026	BZ	61111356	MF	U-BOLT BTM GUIDE BRACKET 6"			
	61123027	GR	61119110	MZ				
	61123028	GY	61123030	WH				
6	73022674			8 WHEEL TROLLEY	2			
7	34110163				CHAINLINK RECEIVER SQUARE	1		
	61123143	BG	61123148	LB				
	61123144	BK	61119111	МВ				
8	61123145	BZ	61123149	MF	CHAINLINK COVER - SINGLE TRACK			
	61123146	GR	61119112	MZ				
	61123147	GY	61123150	WH				
	61123159	BG	61123164	LB	CHAINLINK COVER - BTM GUIDE FRAME			
	61123160	BK	61119052	MB				
9	61123161	BZ	61123165	MF				
	61123162	GR	61119053	MZ				
	61123163	GY	61123166	WH				
10	34110287			1.43" DIA. DERLIN GUIDE WHEEL	2			
	73022816	BG	73026018	GY	SCREW #14X1-1/2 HX HD SDS 410 SS			
44	73022817	BK	73022820	LB				
11	73022818	BZ	73022415	MF				
	73022819	GR	73022821	WH				
12		3411	10341		GREASE 3 OZ.	1		



13	61124153	BK	73022455	MF	CHAIN LINK TENSION BAND	TBD*
14	61124154	BK	73022456	MF	BARBED WIRE BRACE BAND	6**
15	34110107				3/8"-16 HEX NUT ZINC	TBD***
16	34110108				3/8"-16X1-1/2" CARRIAGE BOLT ZINC GRADE A307	TBD***
17	34110444				U-BOLT 1/2"-13x6" SQ ZINC	8
18	34110251				1/2" SPLIT LOCK WASHER ZINC	16
19	34110252				1/2"-13 HEX NUT ZINC	18
20	34110257				5/8" SHOULDER BOLT 1" LONG STEEL	2
21	34110215				NYLON WASHER .08x1.25x.75 ID	2
22	34110256				3/8"-16x3" CARRIAGE BOLT ZINC GRADE A307	2
23	34110107				3/8"-16 HEX NUT ZINC	2
24	34110281				3/8" WASHER ZINC	2
25	34110578				5/8"-11X1-3/4 BOLT HEX HD ZINC GRADE 5	1
26	34110579				5/8"-11 HEX NUT ZINC	1
27	34110580				5/8" FLAT WASHER ZINC	2
28	34110586				U-BOLT 1/2"-13x4" SQ GALVANIZED	1
29	34110587				1/2"-13 HEX NUT GALVANIZED	2
30	64110588				1/2" WASHER GALVANIZED	2
31	61124157	BK	61124155	MF	BOLT-ON BARB WIRE UPRIGHT	TBD****
32	34110855				SCREW - 5/16-12 X 1-1/2 HWH SDS ZINC	TBD****
					ida	

NOTE:

- 1.) ITEM #17 TO #24 IS PART OF 34110400 HARDWARE KIT (SEE SHEET 1-ITEM 2)
- 2.) ITEM #25 TO #27 IS PART OF 61123135 HARDWARE KIT (SEE SHEET 1-ITEM 3)
- 3.) ITEM #28 TO #30 IS PART OF 34110163 RECEIVER SQUARE (SEE SHEET 1-ITEM 7)
- 4.) FOR MATTE BLACK KITS USE BLACK SCREWS
- 5.) FOR MATTE BRONZE KITS USE LIGHT BRONZE SCREWS
- * QUANTITY DETERMINED BY GATE HEIGHT SEE TABLE BELOW
- ** ONLY IF BARBED WIRE BRACE BAND REQUIRED
- *** SAME NUMBER AS CHAINK LINK TENSION BAND
 - + 6 (IF BARBED WIRE BRACE BAND REQUIRED)
- **** QUANTITY DETERMINED BY NUMBER OF UPRIGHTS IN THE GATE OPENING
- ***** NUMBER OF ITEMS FROM ROW 31 MULTIPLIED BY 2

GATE HEIGHT (FT)	NUMBER OF TENSION BANDS	
4	6	
5	8	
6	10	
8	14	


Barrette		575	ARRETTE door Living			
JH	09/1	5/2017	APPROVED:			
U-BOLT SNG CHLINK CNT SNG TRK INSTR 6"						
SHEET 2 OF 13	REVISION	PART NUMBER	R			
SCALE:	$\square \wedge \square$		34110596			
WEIGHT:	707	041.0000				

INSTALLATION PROCEDURE:

- 1.SET 6" POSTS IN THE GROUND SEE POST LOCATION BELOW.
- 2.INSTALL TOP BRACKET (ITEM #4) AND WHEEL TROLLEY (ITEM #6) SEE SHEET 4
- 3.INSTALL BTM BRACKET (ITEM #5) AND GUIDE WHEEL (ITEM #10) SEE SHEET 5
- 4.PLACE GATE IN THE POSITION SLIDE GATE TOP TRACK INTO WHEEL TROLLEY (ITEM #6) AND BTM ROLLER GUIDE ON GUIDE WHEEL (ITEM #10) SEE SHEET 6
- 5.INSTALL CHAINLINK RECEIVER SQUARE (ITEM #7) SEE SHEET 7
- 6.INSTALL GATE STOP (BOLT-ITEM #25,NUT- ITEM #26,WASHERS-ITEM # 27) ON THE END OF THE TRACK SEE SHEET 8 (ONE GATE STOP REQUIRED ONLY PER LEAF)
- 7.INSTALL COVER-TOP TRACK (ITEM #8) ON THE END OF THE TOP TRACK SEE SHEET 9
- 8.INSTALL COVER-BTM FRAME (ITEM #9) ON THE END OF THE BTM FRAME SEE SHEET 10
- 9.INSTALL TENSION BANDS (ITEM #13) ON THE UPRIGHT SEE SHEET 11 (IF REQUIRED)
- 10.INSTALL BARBED WIRE TENSION UPRIGHTS (ITEM #31) ON TOP TRACK. UPRIGHTS NEEDS TO BE WELDED (BY MANUFACTURER) OR BOLTED (BY CUSTOMER) SEE SHEET 12 (IF REQUIRED)
- 11.INSTALL BARBED WIRE TENSION BANDS (ITEM #14) ON THE UPRIGHT SEE SHEET 13 (IF REQUIRED)


NOTE:


- APPLY GREASE (ITEM #12) ON THE SHOULDER BOLTS (ITEM #20), INSIDE GUIDE WHEELS (ITEM # 10) AND TOP OF NYLON WASHER (ITEM #21). MAINTAIN GREASE EVERY 4 TO 6 MONTHS.





POST LOCATION DETAIL SCALE 1:12

















DETAIL E - GATE STOP SCALE 1 : 2






DETAIL F - END COVER-SINGLE TRACK SCALE 1:2






DETAIL G - END COVER-BTM GUIDE FRAME SCALE 1 : 2









DETAIL F - END COVER-SINGLE TRACK SCALE 1:2









ITEM#	PART#	DESCRIPTION	QTY
25	34110578	5/8"-11X1-3/4 BOLT HEX HD ZINC GRADE 5	1
26	34110579	5/8"-11 HEX NUT ZINC	1
27	34110580	5/8" FLAT WASHER ZINC	2

